
JSON to UBL XML Transformer

Documentation

Release 0.2.1

Dimiter Naydenov

Jul 27, 2023

Contents:

1	JSON to UBL XML Transformer	1
1.1	Features	1
1.2	Credits	1
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	json_to_ubl_xml_transformer	7
4.1	json_to_ubl_xml_transformer package	7
5	Contributing	9
5.1	Types of Contributions	9
5.2	Get Started!	10
5.3	Pull Request Guidelines	11
5.4	Tips	11
5.5	Deploying	11
6	Credits	13
6.1	Development Lead	13
6.2	Contributors	13
7	History	15
7.1	0.2.1 (2019-08-14)	15
7.2	0.2.0 (2019-08-14)	15
7.3	0.1.3 (2019-02-20)	15
7.4	0.1.2 (2019-02-07)	15
7.5	0.1.0 (2018-10-30)	16
8	Indices and tables	17
	Python Module Index	19
	Index	21

CHAPTER 1

JSON to UBL XML Transformer

Converts JSON input files to PEPPOL BIS 3.0 Invoice UBL XML outputs and validates them

- Free software: MIT license
- Documentation: <https://json-to-ubl-xml-transformer.readthedocs.io>.

1.1 Features

- TODO

1.2 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

CHAPTER 2

Installation

2.1 Stable release

To install JSON to UBL XML Transformer, run this command in your terminal:

```
$ pip install json_to_ubl_xml_transformer
```

This is the preferred method to install JSON to UBL XML Transformer, as it will always install the most recent stable release.

If you don't have `pip` installed, this Python installation [guide](#) can guide you through the process.

2.2 From sources

The sources for JSON to UBL XML Transformer can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/dimitern/json_to_ubl_xml_transformer
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/dimitern/json_to_ubl_xml_transformer/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use JSON to UBL XML Transformer in a project:

```
import json_to_ubl_xml_transformer
```


CHAPTER 4

json_to_ubl_xml_transformer

4.1 json_to_ubl_xml_transformer package

4.1.1 Submodules

4.1.2 json_to_ubl_xml_transformer.cli module

4.1.3 json_to_ubl_xml_transformer.json_to_ubl_xml_transformer module

4.1.4 Module contents

Top-level package for JSON to UBL XML Transformer.

CHAPTER 5

Contributing

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

5.1 Types of Contributions

5.1.1 Report Bugs

Report bugs at https://github.com/dimitern/json_to_ubl_xml_transformer/issues.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

5.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

5.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

5.1.4 Write Documentation

JSON to UBL XML Transformer could always use more documentation, whether as part of the official JSON to UBL XML Transformer docs, in docstrings, or even on the web in blog posts, articles, and such.

5.1.5 Submit Feedback

The best way to send feedback is to file an issue at https://github.com/dimitern/json_to_ubl_xml_transformer/issues.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

5.2 Get Started!

Ready to contribute? Here's how to set up *json_to_ubl_xml_transformer* for local development.

1. Fork the *json_to_ubl_xml_transformer* repo on GitHub.

2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/json_to_ubl_xml_transformer.git
```

3. Install your local copy into a virtualenv. Assuming you have `virtualenvwrapper` installed, this is how you set up your fork for local development:

```
$ mkvirtualenv json_to_ubl_xml_transformer
$ cd json_to_ubl_xml_transformer/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 json_to_ubl_xml_transformer tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

5.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5, 3.6, 3.7, and for PyPy. Check https://travis-ci.org/dimitern/json_to_ubl_xml_transformer/pull_requests and make sure that the tests pass for all supported Python versions.

5.4 Tips

To run a subset of tests:

```
$ py.test tests.test_json_to_ubl_xml_transformer
```

5.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch  
$ git push  
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

CHAPTER 6

Credits

6.1 Development Lead

- Dimiter Naydenov <dimiter@naydenov.net>

6.2 Contributors

None yet. Why not be the first?

CHAPTER 7

History

7.1 0.2.1 (2019-08-14)

- Minor patch release to fix the tagging.

7.2 0.2.0 (2019-08-14)

- Removed *xmller* dependency, simplified, and re-implemented the logic using *xmltodict*.
- Added more tests, including for the CLI and increased tests coverage over 96%.
- Added Python 3.8 to supported versions.
- Removed Python 3.4 from supported versions.

NOTE: This was supposed to be 0.1.4, but instead of *bumprevision patch* I ran *bumprevision minor*, and since the PR is yet to pass TravisCI, I'll do a follow-up patch release.

7.3 0.1.3 (2019-02-20)

- Fixed an issue with garbage data appearing from previous transformations (with `deepcopy()`).

7.4 0.1.2 (2019-02-07)

- Working JSON transformation with multiple input files.

7.5 0.1.0 (2018-10-30)

- First release on PyPI.

CHAPTER 8

Indices and tables

- genindex
- modindex
- search

Python Module Index

j

json_to_ubl_xml_transformer, [7](#)

Index

J

`json_to_ubl_xml_transformer` (*module*), [7](#)